

**From:** [Lytle.Darren@epamail.epa.gov](mailto:Lytle.Darren@epamail.epa.gov)  
**To:** [Robert Hankinson](#)  
**Cc:** [Muhlen.Christy@epa.gov](mailto:Muhlen.Christy@epa.gov)  
**Subject:** Re: Gardner, MA - Hot Water Coils  
**Date:** Thursday, June 2, 2011 11:05:06 AM

---

We did and the are in the system- could be a few weeks until all analysis are complete, Darren

Darren Lytle, PhD, PE  
Chief (acting), Treatment Technology Evaluation Branch  
U.S. Environmental Protection Agency  
ORD/NRMRL/WSWRD- MS 683  
26 W. Martin Luther King Dr.  
Cincinnati, Ohio 45268

phone (513) 569-7432  
fax (513) 569-7892

 Robert Hankinson ---06/02/2011 09:57:45 AM---Good morning Darren, this is a follow-up to confirm you received our water samples Thursday or Friday

From: Robert Hankinson <[rhankinson@gardner-ma.gov](mailto:rhankinson@gardner-ma.gov)>  
To: Darren Lytle/CI/USEPA/US@EPA  
Date: 06/02/2011 09:57 AM  
Subject: Gardner, MA - Hot Water Coils

---

Good morning Darren, this is a follow-up to confirm you received our water samples Thursday or Friday of last week, USPS.  
I will be sending a heating coil early next week.  
Thanks, Bob

Bob Hankinson  
City Engineer, Gardner, MA  
[rhankinson@gardner-ma.gov](mailto:rhankinson@gardner-ma.gov)  
(978)-630-4010